

1/3

http://example.com/inspection.wsil

```

<?xml version="1.0" encoding="UTF-8"?>
<inspection xmlns="http://schemas.xmlsoap.org/ws/2001/10/inspection/"
  xmlns:wsilwsdl="http://schemas.xmlsoap.org/ws/2001/10/inspection/wsdl/">
  <service>
    <description referencedNamespace="http://schemas.xmlsoap.org/wsdl/"
      location="http://example.com/tva_services.wsdl">
      <wsilwsdl:reference endpoint="true">
        <wsilwsdl:referencedService xmlns:ns="http://example.com/tva">
          ns:TvaCookingService</wsilwsdl:referencedService>
        </wsilwsdl:reference>
      </description>
    </service>
    <service>
      <description referencedNamespace="http://schemas.xmlsoap.org/wsdl/"
        location="http://example.com/tva_services.wsdl">
        <wsilwsdl:reference endpoint="true">
          <wsilwsdl:referencedService xmlns:ns="http://example.com/tva">
            ns:TvaMovieService</wsilwsdl:referencedService>
          </wsilwsdl:reference>
        </description>
      </service>
      - References to other groups of TV Anytime services could be inserted here
    </inspection>
  
```

FIG. 1

http://example.com/tva_services.wsdl

The namespace indicates
compliance with TV A,
along with the version

The port name gives
the type of TV A
services supported

```

<?xml version="1.0" encoding="UTF-8"?>
<definitions targetNamespace="http://example.com/tva"
  xmlns:tva="http://www.tv-anytime.org/2001/11/transport/wsdl"
  xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
  xmlns="http://schemas.xmlsoap.org/wsdl/">
  <import namespace="http://www.tv-anytime.org/2001/11/transport/wsdl"/>
  <service name="TvaCookingService">
    <port name="get_Metadata_Cooking" binding="tva:get_Resolution_Port">
      <soap:address location="http://example.com/cooking"/>
    </port>
    <port name="searchOn_Delivery_Cooking"
      binding="tva:searchOn_Delivery_Port">
      <soap:address location="http://example.com/cooking"/>
    </port>
  </service>
  <service name="TvaMovieService">
    <port name="get_Metadata_Movies" binding="tva:get_Metadata_Port">
      <soap:address location="http://example.com/movies"/>
    </port>
    <port name="searchOn_Description_Movies"
      binding="tva:searchOn_Description_Port">
      <soap:address location="http://example.com/movies"/>
    </port>
  </service>
</definitions>
  
```

The entry points
(URL) to the different
constituent services

FIG. 2

Best Available Copy

2/3




FIG.3

<http://example.com/inspection.wsil>

```
<inspection xmlns="http://schemas.xmlsoap.org/ws/2001/10/inspection/"
  xmlns:wSDL="http://schemas.xmlsoap.org/ws/2001/10/inspection/wSDL/"
  xmlns:tva="http://www.tv-anytime.org/2002/06/transport/wSDL"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"> 11
```

```
<service>
  <description referencedNamespace="http://schemas.xmlsoap.org/wSDL/"
    location="http://example.com/TV_week/tva_TV_week.wSDL">
    <wSDL:reference endpointPresent="true">
      <wSDL:implementedBinding>tva:get_Resolution_SOAP</wSDL:implementedBinding>
      <wSDL:implementedBinding>tva:get_Metadata_SOAP</wSDL:implementedBinding> 12
      <wSDL:implementedBinding>tva:searchOn_Delivery_SOAP</wSDL:implementedBinding> 13
    </wSDL:reference>
  </description>
</service>
```

```
<link referencedNamespace="http://schemas.xmlsoap.org/ws/2001/10/inspection/" 14
  location="http://more-examples.com/inspection.wsil" tva:present="true"/>
<link referencedNamespace="http://schemas.xmlsoap.org/ws/2001/10/inspection/"
15 location="http://aggregator.com/inspection.wsil" tva:present="true"/>
```

```
</inspection>
```

FIG.4

Best Available Copy

3/3




FIG. 5




FIG. 6